Coot Crib Sheet

May 20, 2010

1 Keyboard

1.1 Dialog Shortcuts

- F5 Post Model/Fit/Refine dialog
- F6 Post Go To Atom window
- F7 Post Display Control Window
- F8 Raster3D "Screenshot"

1.2 Previous/Next Residue

"Space" Next Residue
"Shift" "Space" Previous Residue

1.3 Closest Residue

"p" go to an atom of the closest residue (the "CA" atom if the residue has one)

1.4 Next NCS Chain

"o" - other NCS chain.

1.5 Previous/Next Rotamer

When in "Rotamer" mode, these keyboard short-cuts are available¹:

"." Next Rotamer

"," Previous Rotamer

1.6 Keyboard Chi Angles

Instead of pressing the buttons in the Chi Angles button box, you can use keyboard "1" for Chi1, "2" for Chi2 etc.

1.7 Keyboard Contouring

Use + or - to change the contour level

1.8 Keyboard Labelling

"l" to label closest atom

1.9 Keyboard Go To Residue

Ctrl-g then key in a residue number and (optionally) a chain-id and press Return

1.10 Quick Save As

Ctrl-s to save the state

1.11 Keyboard Residue Info

Ctrl-i then click on residue to open Residue Info dialog

1.12 Keyboard Translation

Keypad 3 Push View (+Z translation) Keypad . Pull View (-Z translation)

1.13 Keyboard Undo

Ctrl-z Undo last modification u Undo last move/navigation

1.14 Keyboard Zoom and Clip

- n Zoom out
- m Zoom in
- d Slim clip
- f Fatten clip

1.15 Crosshairs

c: cross-hairs

¹note: focus must be in the graphics window, not the Rotamer dialog

1.16 Skeleton

s: Generate skeleton around current point²

1.17 Continuous Rotate

i: Toggle continuous spin

1.18 Baton Mode

b: toggle into baton rotate mode³

2 Mouse

Mouse actions are occassionally augmented with keyboard modifiers:

Left-mouse Drag Rotate view
Ctrl Left-Mouse Drag Translates view
Shift Left-Mouse Click Label Atom
Right-Mouse Drag Zoom in and out

Shift Right-Mouse Drag Change clipping and Translate in Scr The movement is along orthogonal a

> up+right/down+left shifts in z, up+left/down+right changes the slal

Ctrl Shift Right-Mouse Drag Rotate View about Screen Z

Middle-mouse Click Centre on atom

Scroll-wheel Forward Increase map contour level Scroll-wheel Backward Decrease map contour level

Intermediate (white) atoms can be dragged around by clicking on them:

Left-mouse Drag: Move all intermediate

atoms by linear shear

Left-mouse Drag as above with with "A" key: non-linear shear
Left-mouse Drag Move a single atom

with "Ctrl":

3 Refinement Extras

Use "A" to define a residue range⁴ with a single-click. Useful in Refinement and Regularization.

- Click "Real Space Refine Zone"
- Click on an atom
- Press the "A" key

²if a skeleton is being displayed

³rather than view rotate mode

 $^{^4}$ +/- n residues from the current residue